



Report #:

IF-824-QSA-TR006-BTL260707-11-07

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 7/31/2026
Date Tested: 7/28/2026
Customer: Patriot Bio
Testing material: GLP2 T
Lot Number: unspecified
Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, blue label, silver crimp, clear plastic cap.
Labeled as: GLP2 T
Manufacturer: PatriotBio
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



BT Labs

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	49 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of GLP2 T with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	9.8 mg (98.1 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	9.8 : 39.2 mg (1:4)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF - 824 - QSA - TR006


Rev 1.0 January 2025

Title:

Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: GLP2 T Lot unspecified



HPLC Purity and Potency Assay @ 280 nm: GLP2 T Lot unspecified



GLP2 T Lot unspecified @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	10.676	1717.7