



Report #:

COA261124-010

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 8/22/2026
Date Tested: 8/21/2002
Customer: PatriotBio
Testing material: BPC-157 TB-500
Lot Number: 78231
Sample ID: BTL260803-016-010
Content/Potency: 20 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, blue label, silver crimp, white plastic cap.
Labeled as: BPC-157 TB-500
Manufacturer: PatriotBio
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	63.4 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of BPC-157 TB-500 with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 20 mg	TB-500 FRG 7.1 mg (35.3 %) BPC-157 5.3 mg (26.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	12.3 : 51.1 mg (1:4.1)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF - 824 - QSA - TR006

Rev 1.1 August 2026



Report #:

COA261124-010


Page 2 of 2

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: BPC-157 TB-500 Lot 78231



HPLC Purity and Potency Assay @ 220 nm: BPC-157 TB-500 Lot 78231



BPC-157 TB-500 Lot 78231 @ 220 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	1.879	1220.5

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006
Rev 1.1 August 2026